






DRAFT
L&RR SUPERFUND SITE
NORTH SMITHFIELD,
RHODE ISLAND
Groundwater Elevation Contours
March 6, 2017

FIGURE 1b



| | |
|--------------------|--|
| SCALE: 1 " = 600 ' | OU 2 RI/FS |
| DATE: June 2017 | PROJECT #: 229620 |
| DRAWN BY: SMO | DOC: Fig. 1 GW Contours - March 2017.mxd |








DRAFT
L&RR SUPERFUND SITE
NORTH SMITHFIELD,
RHODE ISLAND
Total VOC Groundwater
Isopleths

FIGURE 2a



| | |
|--------------------|--|
| SCALE: 1 " = 600 ' | OU 2 RI/FS |
| DATE: June 2017 | PROJECT #: 229620 |
| DRAWN BY: SMO | DOC: Fig. 2a TVOCs contours - March 2017.rxd |



DRAFT

L&RR SUPERFUND SITE NORTH SMITHFIELD, RHODE ISLAND

1,4-Dioxane Groundwater Isopleths



FIGURE 2b

| | |
|-------------------|---|
| SCALE: 1 " = 600' | OU 2 RI/FS |
| DATE: June 2017 | PROJECT #: 229620 |
| DRAWN BY: SMO | DOC: Fig. 2b 1,4-diox contours - March 2017 |

Lithology

| | |
|--|---|
| | Silty Fine Sand |
| | Coarse to Fine Sand |
| | Sand and Clay |
| | Bedrock |
| | Fine to Medium Sand |
| | Sand and Gravel |
| | Clay |
| | Estimated Landfill Waste Depth (Offset) |

Notes

- Monitoring wells, borings, and groundwater profile locations are approximate.
- Vertical elevations along cross-section derived from Rhode Island 2011 state-wide LiDAR dataset obtained from RIGIS.
- Geologic units were interpreted from E.C. Jordan and Wehran Engineering borings and well installations during previous site investigation activities. Units and contacts are interpretational and may vary from actual field conditions.
- Lithology interpolated using "Lateral Blending" algorithm in RockWorks 17. Lateral blending extends boring lithology data horizontally and randomizes correlations at the middle zone between borings.
- Private well data for wells along Pound Hill Road (DW-XXXX) based on well logs on file at Rhode Island Department of Public Health.
- Water table is inferred from depth to groundwater measurements in shallow overburden wells recorded in the field by Woodard Curran on March 6, 2017. Overburden groundwater elevations near private wells along Pound Hill Road were estimated based upon topography.
- The location of Trout Brook and associated wetlands have been interpreted from existing orthophotos. These limits likely vary with stage of the brook.
- Groundwater concentrations are from March & April 2017 Pre-ROD groundwater and Residential drinking water sampling.

Hydrology

| | |
|--|------------------------------------|
| | Surface Water/Wetland |
| | Groundwater Elevation (March 2017) |

Bedrock Geophysics

| | |
|--|--------------------------------|
| | Possibly Transmissive Fracture |
| | Likely Transmissive Fracture |


Well Construction

| | |
|--|---------------|
| | CMT Screen |
| | Open Borehole |
| | Well Screen |

Groundwater Concentration

<0.144 / 0.593 1,4-Dioxane Concentration ug/L
ND / 0.593 Total VOC Concentration ug/L

DRAFT



Orthophotography from Google Earth, 2016. Not to Scale.

Lithology

| | |
|--|---------------------|
| | Silty Fine Sand |
| | Coarse to Fine Sand |
| | Bedrock |

Notes

- Monitoring wells, borings, and groundwater profile locations are approximate.
- Vertical elevations along cross-section derived from Rhode Island 2011 state-wide LiDAR dataset obtained from RIGIS.
- Geologic units were interpreted from E.C. Jordan and Wehran Engineering borings and well installations during previous site investigation activities. Units and contacts are interpretational and may vary from actual field conditions.
- Lithology interpolated using "Lateral Blending" algorithm in RockWorks 17. Lateral blending extends boring lithology data horizontally and randomizes correlations at the middle zone between borings.
- Water table is inferred from depth to groundwater measurements in shallow overburden wells recorded in the field by Woodard_Curran on March 6, 2017.
- The location of Trout Brook and associated wetlands have been interpreted from existing orthophotos. These limits likely vary with stage of the brook.
- Groundwater concentrations are from March & April 2017 Pre-ROD groundwater and Residential drinking water sampling.

Hydrology

| | |
|--|------------------------------------|
| | Surface Water/Wetland |
| | Groundwater Elevation (March 2017) |

Bedrock Geophysics

| | |
|--|--------------------------------|
| | Possibly Transmissive Fracture |
| | Likely Transmissive Fracture |

Well Construction



| | |
|--|---------------|
| | CMT Screen |
| | Open Borehole |
| | Well Screen |

Groundwater Concentration

<0.144 / 0.593 1,4-Dioxane Concentration ug/L

<0.144 / 0.593 Total VOC Concentration ug/L

DRAFT



40 Shattuck Road, Suite 110 Andover, Massachusetts 01810 866.702.6371 | www.woodardcurran.com

COMMITMENT & INTEGRITY DRIVE RESULTS



CROSS-SECTION E-E'

JOB NO: 229620
DATE: MAY 2017

FIGURE 3b

Lithology

| | |
|--|---|
| | Silty Fine Sand |
| | Coarse to Fine Sand |
| | Bedrock |
| | Estimated Landfill Waste Depth (Offset) |

Notes

- Monitoring wells, borings, and groundwater profile locations are approximate.
- Vertical elevations along cross-section derived from Rhode Island 2011 state-wide LiDAR dataset obtained from RIGIS.
- Geologic units were interpreted from E.C. Jordan and Wehran Engineering borings and well installations during previous site investigation activities. Units and contacts are interpretational and may vary from actual field conditions.
- Lithology interpolated using "Lateral Blending" algorithm in RockWorks 17. Lateral blending extends boring lithology data horizontally and randomizes correlations at the middle zone between borings.
- Water table is inferred from depth to groundwater measurements in shallow overburden wells recorded in the field by Woodard Curran on March 6, 2017.
- The location of Trout Brook and associated wetlands have been interpreted from existing orthophotos. These limits likely vary with stage of the brook.
- Groundwater concentrations are from March & April 2017 Pre-ROD groundwater and Residential drinking water sampling.

Hydrology

| | |
|--|------------------------------------|
| | Surface Water/Wetland |
| | Groundwater Elevation (March 2017) |
| | Well Screen |

Bedrock Geophysics

| | |
|--|--------------------------------|
| | Possibly Transmissive Fracture |
| | Likely Transmissive Fracture |


Well Construction

| | |
|--|---------------|
| | CMT Screen |
| | Open Borehole |
| | Well Screen |

Groundwater Concentration

<0.144 / 0.593 1,4-Dioxane Concentration ug/L
<0.144 / 0.593 Total VOC Concentration ug/L

DRAFT



40 Shattuck Road Suite 110
Andover, Massachusetts 01810
866.702.6371 | www.woodardcurran.com

COMMITMENT & INTEGRITY DRIVE RESULTS

